



BRIEFING PACKAGE FOR FLIGHT : UAL 1727 04OCT25 LAX-SFO
 CREATED BY: uUAL2225/LYLE NICHOLS

```


*****
*                               Flight Plan Manager                               *
*                               BRIEFING COVER PAGE                               *
*                               UAL1727/04OCT   ACFT N17336   LAX-SFO               *
*                               RELEASE NUMBER : 03                               *
*****
    
```

CONTENTS INCLUDE THE FOLLOWING:

-
1. Route Chart
 2. Additional Dispatcher Release Remarks
 3. Operational Flightplan
 4. BLANK
 5. Wind Matrix
 6. Met Briefing
 7. BLANK2
 8. DILReq
 9. LOGReq
 10. BLANK3
 11. NOTAM Briefing



Route





\$B

*END - GRAPH *

* ADDITIONAL DISPATCHER RELEASE REMARKS *

FLIGHT COMMENTS:

INCLUDE WWW.UNITED-VIRTUAL.COM AS RMK IN FILED FLIGHT PLAN

PLANNED OPTIMUM FLIGHT LEVEL

WARNINGS AND ERRORS:

NONE

THE CAPTAIN AND DISPATCHER NAMES ON THIS RELEASE CONSTITUTES THE REQUIRED
SIGNATURES PER 121.663 AND INDICATES THE PILOT IN COMMAND AND THE
DISPATCHER BELIEVE THAT THIS FLIGHT CAN BE MADE WITH SAFETY.

* END - ADDITIONAL DISPATCHER RELEASE REMARKS *

*NEXT - OFP *

B

Page 4 of 25



UAL1727												OPERATIONAL FLIGHTPLAN PG 2/4												PRTD 04OCT25 2208.35											
UAL1727-04				04OCT25				N17336/808				B38M				VRT 01				RTNG 01				RLSE 03											
DEP INFO																																			
CLEARANCE																																			
OFP																																			
(FPL-UAL1727-IS																																			
-B38M/M-SDE1FGHILORVWXY/HB1																																			
-KLAX2345																																			
-N0436F320 SUMMR2 STOKD DCT SERFR SERFR4																																			
-KSFO0100 KSMF																																			
-PBN/A1B1C1D1L101S1S2 NAV/RNVD1E2A1 D0F/251004 REG/N17336																																			
EET/KZ0A0034 OPR/UAL PER/D RMK/TCAS)																																			
TKOF ALTN				DIST				TIME				FUEL																							
								00:00				0																							
ARWY		POSITION		MC		DIST		EST		TIME		MOR		FL		MACH		GS/TAS		ZBO															
COORDINATES				MH				ET		ATA		TROP		SAT		WIND		FUEL																	
NAME				TC/TH																															
FMS POSN VERIFIED																																			
		KLAX 128 FT		---		0				0		---		---		---		407/436		420															
		N3356.5 W11824.5		---		311				0:00				F515		---		285/034		14771															
		LOS ANGELES INTL		---		/---																													
R25R		DOCKR		244		3				2		022		CLB		---		---/---		526															
		N3355.9 W11827.5		243		308				0:02				F515		---		---/---		14245															
				255/255																															
R25R		EVOSE		253		2				0		021		CLB		---		---/---		124															
		N3355.7 W11830.0		254		306				0:02				F515		---		---/---		14121															
				264/265																															
R25R		MKGEE		253		6				2		020		CLB		---		---/---		417															
		N3355.1 W11837.7		255		300				0:04				F516		---		---/---		13704															
				264/266																															
R25R		DARRK		258		10				2		020		CLB		---		---/---		413															
		N3355.0 W11850.0		260		290				0:06				F516		---		---/---		13291															
				269/271																															
R25R		SUMMR		261		9				2		020		CLB		---		---/---		333															
		N3355.3 W11901.0		263		281				0:08				F516		---		---/---		12958															
				272/274																															
R25R		OLOFF		290		10				2		020		CLB		---		---/---		324															
		N3400.6 W11911.2		288		271				0:10				F516		---		---/---		12634															
				301/300																															



UAL1727 OPERATIONAL FLIGHTPLAN PG 3/4 PRTD 04OCT25 2208.35										
UAL1727-04		04OCT25		N17336/808		B38M		VRT 01		RTNG 01 RLSE 03
ARWY	POSITION	MC	DIST	EST	TIME	MOR	FL	MACH	GS/TAS	ZBO
COORDINATES		MH			ET	ATA	TROP	SAT	WIND	FUEL
NAME		TC/TH								
R25R	RIZIN	313	30		4	063	CLB	---	---/---	632
N3424.7 W11932.0		308	241		0:14		F513	---	---/---	12002
		324/320								
R25R	(T/C)	303	15		3	067	F320	---	---/---	539
N3435.2 W11944.9		299	226		0:17		F538	M43	279/045	11712
		314/311								
RVSM ALTIMETER CHECK										
R25R	SPLNT	302	43		6	089	F320	M738	398/436	487
N3505.3 W12022.4		298	183		0:23		F538	M43	279/045	11225
		314/311								
R25R	STOKD	306	32		5	052	F320	M737	400/436	360
N3529.0 W12049.1		301	151		0:28		F477	M43	279/045	10865
		317/313								
ENTERING FIR: KZOA OAKLAND FIR/UIR										
DCT	SERFR	311	44		6	056	F320	M737	397/435	504
N3604.1 W12121.9		306	107		0:34		F528	M43	282/048	10361
		322/318								
R28L	(T/D)	315	6		1	079	F320	M736	400/435	73
N3609.2 W12125.8		311	101		0:35		F528	M43	282/048	10288
		327/323								
R28L	NRRLI	315	24		5	077	DSC	---	---/---	144
N3629.7 W12142.0		312	77		0:40		F534	---	---/---	10144
		327/325								
R28L	WWAVS	315	17		4	053	DSC	---	---/---	102
N3644.5 W12153.7		313	60		0:44		F525	---	---/---	10042
		327/326								
R28L	EPICK	335	13		3	026	DSC	---	---/---	78
N3657.0 W12157.2		333	47		0:47		F524	---	---/---	9964
		347/346								
R28L	FOLET	330	20		4	054	DSC	---	---/---	120
N3716.5 W12204.8		330	27		0:51		F523	---	---/---	9844
		342/343								
R28L	EDDY	330	6		1	048	DSC	---	---/---	36
N3722.5 W12207.1		330	21		0:52		F521	---	---/---	9808
		342/343								



UAL1727 OPERATIONAL FLIGHTPLAN PG 4/4 PRTD 04OCT25 2208.35										
UAL1727-04		04OCT25		N17336/808		B38M		VRT 01		RTNG 01 RLSE 03
ARWY	POSITION	MC	DIST	EST	TIME	MOR	FL	MACH	GS/TAS	ZBO
COORDINATES		MH			ET	ATA	TROP	SAT	WIND	FUEL
NAME		TC/TH								
R28L	KSFO 13 FT	307	21		8	045	DSC F393	---	---/---	352 9456
N3737.1 W12222.5		306	0		1:00					
SAN FRANCISCO IN		320/319								
RTNG TO KSMF/SMF										
ARWY	POSITION	MC	DIST	EST	TIME	MOR	FL	MACH	GS/TAS	ZBO
COORDINATES		MH			ET	ATA	TROP	SAT	WIND	FUEL
NAME		TC/TH								
	KSFO 13 FT	---	0		0	---	---	---	---/---	0 9456
N3737.1 W12222.5		---	106		0:00					
SAN FRANCISCO IN		---/---								
SID	(T/C)	016	31		9	071	F130 F394	---	---/---	739 8717
N3804.2 W12203.4		---	75		0:09					
		029/---								
DCT	(T/D)	016	48		14	071	F130 F380	---	289/297 333/014	1144 7573
N3846.0 W12133.4		---	27		0:23					
		029/---								
IAL	KSMF 27 FT	---	27		8	049	DSC F380	---	---/---	644 6929
N3841.7 W12135.4		---	0		0:31					
SACRAMENTO INTL		---/---								
LDG INFO										



\$B
*

*END - OFP *

COST INDEX

319/20 . EARLY CI 16/ LATE CI 80/ MAX FLEET CI 120 OR MACH M.800
B737 . EARLY CI 10/ LATE CI 120/ MAX FLEET CI 120 OR MACH M.805
B757 . EARLY CI 15/ LATE CI 250/ MAX FLEET CI 300 OR MACH M.830
B763 . EARLY CI 15/ LATE CI 300/ MAX FLEET CI 300 OR MACH M.840
B764 . EARLY CI 40/ LATE CI 300/ MAX FLEET CI 300 OR MACH M.840
B777 . EARLY CI 20/ LATE CI 400/ MAX FLEET CI 400 OR MACH M.850
B787 . EARLY CI 05/ LATE CI 500/ MAX FLEET CI 800 OR MACH M.880

NEXT - WEATHER

B



WINDS AND TEMP SUMMARY UAL1727 PG 1/1 PRTD 04OCT25 2208.35UTC

FORECAST WINDS AND TEMP SUMMARYUAL1727 04OCT25 KLAX-KSFO
OBSERVATION - 04/10/25 18.00Z**DESCENT WINDS**

FL390	286/051
FL340	289/049
FL300	303/035
FL240	305/030

ENROUTE WINDS

WAYPT	SECTOR W/V AND TEMP				
	240	300	340	390	450
KLAX					
DOCKR	276/33P11	271/45P07	269/51P05	267/49P03	268/42M04
EVOSE	275/33P11	271/45P07	269/51P05	267/49P03	268/42M04
MKGEE	283/34P11	273/43P08	271/49P06	268/46P02	268/40M04
DARRK	283/34P11	273/43P08	271/49P06	268/46P02	268/40M04
SUMMR	283/34P11	273/43P08	271/49P06	268/46P02	268/40M04
OLOFF	283/34P11	273/43P08	271/49P06	268/46P02	268/40M04
RIZIN	288/32P11	275/38P08	273/45P06	270/43P02	266/40M04
TOC	289/33P10	279/41P07	279/49P05	271/43P02	269/45M03
SPLNT	289/33P10	279/41P07	278/49P05	271/43P02	269/45M03
STOKD	290/33P09	280/42P07	279/48P05	270/42P03	269/44M04
SERFR	294/34P08	282/47P07	281/48P05	274/47P03	274/41M03
TOD	294/34P08	282/47P07	281/48P05	274/47P03	274/41M03
NRRLI	296/32P08	284/46P07	282/45P05	276/45P03	277/38M03
WWAVS	299/31P07	297/38P06	288/42P04	279/52P02	282/39M03
EPICK	299/31P07	297/38P06	288/42P04	279/52P02	282/39M03
FOLET	299/31P07	297/38P06	288/42P04	279/52P02	282/39M03
EDDY	299/31P07	297/38P06	288/42P04	279/52P02	282/39M03
KSFO	305/30P07	303/35P04	289/49P04	286/51P02	285/41M01



uUAL2225/LYLE NICHOLS
04OCT25 UAL1727 KLAX - KSFO

Non Standard MET
page 1

UAL1727 04OCT25 LAX-SFO

KLAX -LAX - LOS ANGELES INTL

07R/25L 11096 07L/25R 12923 06R/24L 10886 06L/24R 8927

SA Z 042153Z 22011KT 10SM FEW030 22/14 A2985 RMK A02 SLP108

T02220139 \$

FT 042052Z 0421/0524 26014KT P6SM SKC

FM050300 26007KT P6SM SKC

FM050700 VRB03KT P6SM SKC

FM051100 VRB03KT P6SM SCT015

FM052000 25010KT P6SM FEW250

KSFO -SFO - SAN FRANCISCO INTL

01R/19L 8652 01L/19R 7651 28L/10R 11381 28R/10L 11870

SA Z 042156Z 31013KT 10SM FEW007 FEW030 SCT200 22/13 A2994 RMK

A02 SLP137 T02170128 \$

FT 042100Z 0421/0524 29013KT P6SM FEW040 FEW200

FM050300 27008KT P6SM FEW015

FM051000 23004KT P6SM FEW008 SCT015

FM051700 07005KT P6SM SKC

FM052100 30008KT P6SM SKC

KSMF -SMF - SACRAMENTO INTL

35R/17L 8606 35L/17R 8599

SA Z 042153Z 00000KT 10SM CLR 24/12 A2991 RMK A02 SLP126

T02440117

FT 041720Z 0418/0518 33005KT P6SM SKC

FM050000 VRB05KT P6SM SKC



\$B
*

END - WEATHER

NEXT - DIL/LOG

B



uUAL2225/LYLE NICHOLS
UAL 1727 04OCT25 LAX - SFO

DIL MEL Document
page 1

DIL AND LOG HISTORY NOT APPLICABLE FOR SCO AIRCRAFTS



uUAL2225/LYLE NICHOLS
UAL 1727 04OCT25 LAX - SFO

DIL LOG Document
page 1

DIL AND LOG HISTORY NOT APPLICABLE FOR SCO AIRCRAFTS



\$B

*

END - DIL/LOG

NEXT - POSBD/NOTAM BRIEF

B

**Official Pilot Briefing**

Trans ID: 624969

UAL1727 04OCT25 N17336 B38M KLAX 2345 KSFO 0113

Creation Time: 04.10.2025 22:08UTC

GENERAL INFORMATION**AUTO COST INDEXES****SB007/14 (12 OCT 14)**

WHEN PLANNING A COST INDEX, 2 OPTIONS ARE AVAILABLE. PILOTS MAY EITHER SELECT A SPECIFIC COST INDEX NUMBER FROM THE LIST, OR THEY MAY SELECT "AUTO". WHEN PLANNING AN "AUTO" COST INDEX, THE SYSTEM WILL REFERENCE THE SCHEDULED "TIME ENROUTE" OPTION AND ATTEMPT TO CHOOSE A COST INDEX WHICH CLOSELY MATCHES THIS VALUE. NOTE THAT THE "TIME ENROUTE" OPTION IS MEANT AS A GATE TO GATE TIME (AS INDICATED ON AN AIRLINE'S FLIGHT SCHEDULE, FOR EXAMPLE). IF A "TIME ENROUTE" OF 2:30 IS SELECTED, THE SYSTEM WILL SUBTRACT THE TAXI TIMES FROM THIS VALUE TO DETERMINE THE SCHEDULED AIR TIME. IT WILL THEN DETERMINE AND USE THE COST INDEX WHICH MATCHES THIS AIR TIME.

FLIGHT RELEASE UNITS**SB003/13 (13 JUL 13)**

ALL FLIGHT CREW: PLEASE PAY SPECIAL ATTENTION TO THE UNITS SELECTION WHEN GENERATING A FLIGHT PLAN. FAILURE TO IDENTIFY THE CORRECT UNITS WHEN REFUELING PRIOR TO FLIGHT CAN RESULT IN DEPARTING WITH INSUFFICIENT FUEL AND/OR AN ERRONEOUS PAYLOAD.

AERODROME INFORMATION**KLAX / LAX****A4819/25 (03 OCT 25)**

03 OCT 2025 15:47-UFN

LAX SID LOS ANGELES INTL, LOS ANGELES, CA.

VENTURA EIGHT DEPARTURE...

DEPARTURE PROCEDURE NA EXCEPT FOR ACFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS,

VTU VOR/DME OUT OF SERVICE.

A4816/25 (03 OCT 25)

03 OCT 2025 15:15-UFN

LAX IAP LOS ANGELES INTL, LOS ANGELES, CA.

ILS OR LOC RWY 24L, AMDT 27D...

ILS OR LOC RWY 24R, AMDT 26B...

ILS RWY 24R (CAT II-III), AMDT 26B...

DME REQUIRED EXCEPT FOR ACFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS,

FIM VOR OUT OF SERVICE.

A4815/25 (03 OCT 25)

03 OCT 2025 15:15-UFN

LAX SID LOS ANGELES INTL, LOS ANGELES, CA.

CHATY FIVE DEPARTURE...

HENER TRANSITION, KWANG TRANSITION, SAN MARCOS TRANSITION NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS,
FIM VOR OUT OF SERVICE.

09/323 (29 SEP 25)

29 SEP 2025 13:54-07 NOV 2025 14:30

TWY A7 HLDG PSN SIGN FOR ILS EAST SIDE FOR RWY

07R/25L LGT U/S

09/322 (29 SEP 25)

29 SEP 2025 13:48-03 NOV 2025 14:30



TWY H LOCATION SIGN FOR TWY H8 MISSING

A4734/25 (29 SEP 25)

29 SEP 2025 13:44-03 NOV 2025 14:30

LAX TWY H LOCATION SIGN FOR TWY J MISSING

A4683/25 (25 SEP 25)

25 SEP 2025 21:21-UFN

LAX RWY 06R RTHL U/S

A4681/25 (25 SEP 25)

25 SEP 2025 20:41-07 JAN 2026 23:00

LAX APRON TXL C7, C8, D9, D10 IRREGULAR SFC NUMEROUS RUTS

09/289 (25 SEP 25)

25 SEP 2025 20:06-07 JAN 2026 23:00

APRON TXL C6 IRREGULAR SFC STEEL PLATES

A4608/25 (22 SEP 25)

22 SEP 2025 23:10-UFN

LAX SID LOS ANGELES INTL, LOS ANGELES, CA.

LAXX ONE DEPARTURE...

ROSLIN TRANSITION NA EXCEPT FOR ACFT EQUIPPED WITH SUITABLE RNAV

SYSTEM WITH GPS,

SXC VOR OUT OF SERVICE.

A4607/25 (22 SEP 25)

22 SEP 2025 23:10-UFN

LAX SID LOS ANGELES INTL, LOS ANGELES, CA.

CATALINA EIGHT DEPARTURE...

DEPARTURE PROCEDURE NA EXCEPT FOR ACFT EQUIPPED WITH SUITABLE RNAV

SYSTEM WITH GPS,

SXC VOR OUT OF SERVICE.

A4523/25 (16 SEP 25)

16 SEP 2025 18:53-22 OCT 2025 06:59

LAX TWY L IN PAVEMENT RWY GUARD LGT AT RWY 07L/25R NOT STD

A4193/25 (28 AUG 25)

28 AUG 2025 17:53-UFN

LAX SID LOS ANGELES INTL, LOS ANGELES, CA.

CATALINA EIGHT DEPARTURE...

CHATY FIVE DEPARTURE...

GORMAN SEVEN DEPARTURE...

LAXX ONE DEPARTURE...

PERCH THREE DEPARTURE...

SEAL BEACH EIGHT DEPARTURE...

VENTURA EIGHT DEPARTURE...

TAKEOFF MINIMUMS: RWY 6R, 300-1 1/2 OR STANDARD WITH A MINIMUM CLIMB

OF 311FT PER NM TO 500. ADD TAKEOFF OBSTACLE NOTES: RWY 6R, CRANES

BEGINNING 2075FT FROM DER, 642FT RIGHT OF CENTERLINE, UP TO 120FT

AGL/ 225FT MSL (2023-AWP-2161/2166/2167/2171/2176-NRA), CRANE 4196FT

FROM DER, 672FT RIGHT OF CENTERLINE, 120FT AGL/222FT MSL

(2024-AWP-6395-NRA), CRANE 4325FT FROM DER, 226FT LEFT OF

CENTERLINE, 120FT AGL/223FT MSL (2024-AWP-6396-NRA). RWY 24R, CRANES

BEGINNING 1342FT FROM DER, 726FT RIGHT OF CENTERLINE, UP TO 103FT

AGL/208FT MSL (2022-AWP-2232/2233-NRA, 2022-AWP-2052/2053-NRA),

TEMPORARY CRANES BEGINNING 1428FT FROM DER, 830FT RIGHT OF

CENTERLINE, 50FT AGL/156FT MSL (2022-AWP-2062/2063-NRA). RWY 25L.

ALL OTHER DATA REMAINS AS PUBLISHED.

A4189/25 (28 AUG 25)

28 AUG 2025 16:45-UFN

LAX ODP LOS ANGELES INTL, LOS ANGELES, CA.

TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 14...

TAKEOFF MINIMUMS: RWY 6R, 300-1 1/2 OR STANDARD WITH A MINIMUM CLIMB

OF 311FT PER NM TO 500. ADD TAKEOFF OBSTACLE NOTES: RWY 6R, CRANES

BEGINNING 2075FT FROM DER, 642FT RIGHT OF CENTERLINE, UP TO 120FT

AGL/ 225FT MSL (2023-AWP-2161/2166/2167/2171/2176-NRA), CRANE 4196FT



FROM DER, 672FT RIGHT OF CENTERLINE, 120FT AGL/222FT MSL
(2024-AWP-6395-NRA), CRANE 4325FT FROM DER, 226FT LEFT OF
CENTERLINE, 120FT AGL/223FT MSL (2024-AWP-6396-NRA). RWY 24R, CRANES
BEGINNING 1342FT FROM DER, 726FT RIGHT OF CENTERLINE, UP TO 103FT
AGL/208FT MSL (2022-AWP-2232/2233-NRA, 2022-AWP-2052/2053-NRA),
TEMPORARY CRANES BEGINNING 1428FT FROM DER, 830FT RIGHT OF
CENTERLINE, 50FT AGL/156FT MSL (2022-AWP-2062/2063-NRA). ALL OTHER
DATA REMAINS AS PUBLISHED.

A3799/25 (05 AUG 25)

05 AUG 2025 23:15-UFN

LAX TWY V, W, Y USE CAUTION ON FORWARD EXIT SPEED

08/012 (03 AUG 25)

03 AUG 2025 05:14-31 OCT 2025 18:59

AIRSPACE SEE FDC 5/9909 ZLA 99.7 SECURITY

A3120/25 (01 JUL 25)

01 JUL 2025 12:57-UFN

LAX IAP LOS ANGELES INTL, LOS ANGELES, CA.

RNAV (RNP) Z RWY 25L, AMDT 2D...

RNP 0.15 DA 453/HAT 349, RVR 4000 ALL CATS.

06/294 (25 JUN 25)

25 JUN 2025 13:24-28 FEB 2026 23:59

OBST BLDG LGT 335638N1182525W (0.77NM WNW LAX) 171FT
(72FT AGL) U/S

A2841/25 (13 JUN 25)

13 JUN 2025 18:13-UFN

LAX SID LOS ANGELES INTL, LOS ANGELES, CA.

GORMAN SEVEN DEPARTURE...

TAKEOFF RWY 06L, 06R NA EXCEPT FOR ACFT EQUIPPED WITH SUITABLE RNAV
SYSTEM WITH GPS,

LAX TACAN OUT OF SERVICE.

A2398/25 (27 MAY 25)

27 MAY 2025 02:33-UFN

LAX IAP LOS ANGELES INTL, LOS ANGELES, CA.

ILS OR LOC RWY 7R, AMDT 8A...

S-LOC 7R MDA 500/HAT 372 ALL CATS, VIS CAT C/D RVR 3500. VDP AT

I-MKZ 0.84 DME; VDP TO THLD 1.00NM. TEMPORARY CRANES 351 MSL

BEGINNING 4683FT NE OF RWY 7R (2024-AWP-7607 THRU 7610-NRA).

A2201/25 (14 MAY 25)

14 MAY 2025 19:24-UFN

LAX IAP LOS ANGELES INTL, LOS ANGELES, CA.

RNAV (RNP) Z RWY 25R, ORIG-A...

RNP .11 DA 484/HAT 380 ALL CATS.

A0395/25 (27 JAN 25)

27 JAN 2025 10:04-UFN

/LAX/ NAV TACAN U/S

A2718/24 (07 MAY 24)

07 MAY 2024 17:29-UFN

LAX SID LOS ANGELES INTL, LOS ANGELES, CA.

GORMAN SEVEN DEPARTURE...

AVENAL TRANSITION NA EXCEPT FOR ACFT EQUIPPED WITH SUITABLE RNAV
SYSTEM WITH GPS.

GMN VOR R-310 RESTRICTED.

KSFO / SFO

A5008/25 (02 OCT 25)

02 OCT 2025 13:30-14 NOV 2025 23:59

SFO RWY 10L CLSD TO LDG AND TKOF

A5007/25 (02 OCT 25)



02 OCT 2025 13:30-14 NOV 2025 23:59
SFO RWY 10R CLSD TO LDG AND TKOF

A4998/25 (01 OCT 25)

01 OCT 2025 16:39-UFN
SFO ODP SAN FRANCISCO INTL,
SAN FRANCISCO, CA.
TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 9...
TAKEOFF OBSTACLE NOTES: RWY 19L, CRANE 3420FT FROM DER, 606FT LEFT
OF CENTERLINE, 135FT AGL/153FT MSL (2024-AWP-7293-OE), CRANE 3453FT
FROM DER, 696FT LEFT OF CENTERLINE, 135FT AGL/152FT MSL
(2024-AWP-7294-OE), CRANE 3515FT FROM DER, 556FT LEFT OF CENTERLINE,
135FT AGL/156FT MSL (2024-AWP-7295-OE), CRANE 3546FT FROM DER, 660FT
LEFT OF CENTERLINE, 135FT AGL/156FT MSL (2024-AWP-7296-OE). RWY 19R,
CRANE 3670FT FROM DER, 1356FT LEFT OF CENTERLINE, 135FT AGL/153FT
MSL (2024-AWP-7293-OE), CRANE 3702FT FROM DER, 1446FT LEFT OF
CENTERLINE, 135FT AGL/152FT MSL (2024-AWP-7294-OE), CRANE 3763FT
FROM DER, 1316FT LEFT OF CENTERLINE, 135FT AGL/156FT MSL
(2024-AWP-7295-OE), CRANE 3796FT FROM DER, 1410FT LEFT OF
CENTERLINE, 135FT AGL/156FT MSL (2024-AWP-7296-OE).
ALL OTHER DATA REMAINS AS PUBLISHED.

A4978/25 (01 OCT 25)

01 OCT 2025 08:00-31 DEC 2025 08:00
SFO TWY F CL LGT BTN RWY 01R/19L AND TWY L NOT STD

A4895/25 (26 SEP 25)

26 SEP 2025 11:11-31 OCT 2025 13:00
SFO TWY H HLDG PSN SIGN WEST SIDE FOR RWY 01R/19L LGT U/S

09/231 (25 SEP 25)

25 SEP 2025 11:16-30 OCT 2025 14:00
TWY F CL MARKINGS FOR TWY P NOT STD

A4868/25 (24 SEP 25)

24 SEP 2025 15:36-UFN
SFO IAP SAN FRANCISCO INTL,
SAN FRANCISCO, CA.
RNAV (RNP) Z RWY 10R, AMDT 2A...
RNP 0.20 DA 458/HAT 450, VIS 1 3/8 ALL CATS, UNLESS ADVISED BY ATC
THAT CRANES ARE DOWN.
DAILY 0600-1900L
TEMPORARY CRANES STARTING AT 2832FT SE OF RWY 10R, 320FT AGL/329FT
MSL (2024-AWP-6831 THRU 6835-NRA).

A4866/25 (24 SEP 25)

24 SEP 2025 15:35-UFN
SFO IAP SAN FRANCISCO INTL,
SAN FRANCISCO, CA.
RNAV (RNP) Y RWY 28R, AMDT 5...
RNP 0.11 DA 268/HAT 255 ALL CATS, UNLESS ADVISED BY ATC THAT CRANES
ARE DOWN.
DAILY 0600-1900L
TEMPORARY CRANES STARTING AT 1.43NM W OF RWY 28R, 320FT AGL/329FT
MSL (2024-AWP-6831 THRU 6835-NRA).

A4864/25 (24 SEP 25)

24 SEP 2025 15:35-UFN
SFO IAP SAN FRANCISCO INTL,
SAN FRANCISCO, CA.
ILS RWY 28L (SA CAT II), AMDT 27C ...
PROCEDURE NA, UNLESS ADVISED BY ATC THAT CRANES ARE DOWN.
DAILY 0600-1900L
TEMPORARY CRANES STARTING AT 1.40NM W OF RWY 28L, 320FT AGL/329FT
MSL(2024-AWP-6831 THRU 6835-NRA).

A4863/25 (24 SEP 25)

24 SEP 2025 15:33-UFN



SFO IAP SAN FRANCISCO INTL,
 SAN FRANCISCO, CA.
 ILS RWY 28R (SA CAT I), AMDT 15B ...
 ILS RWY 28R (CAT II AND III), AMDT 15B ...
 PROCEDURE NA, UNLESS ADVISED BY ATC THAT CRANES ARE DOWN.
 DAILY 0600-1900L
 TEMPORARY CRANES STARTING AT 1.43NM W OF RWY 28R, 320FT AGL/329FT
 MSL.
 (2024-AWP-6831 THRU 6835-NRA).

A4849/25 (23 SEP 25)

23 SEP 2025 14:38-UFN
 SFO ODP SAN FRANCISCO INTL,
 SAN FRANCISCO, CA.
 TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 9...
 DEPARTURE PROCEDURE: RWYS 10L, 10R, 19L, 19R NA EXCEPT FOR AIRCRAFT
 EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS,
 SFO VOR OUT OF SERVICE.

A4852/25 (23 SEP 25)

23 SEP 2025 14:38-UFN
 SFO IAP SAN FRANCISCO INTL,
 SAN FRANCISCO, CA.
 ILS OR LOC RWY 28L, AMDT 27C...
 ILS RWY 28L (SA CAT II), AMDT 27C...
 MISSED APPROACH: CLIMB TO 2400 THEN CLIMBING LEFT TURN TO 5000
 DIRECT SJC VOR/DME AND HOLD. +MISSED APPROACH REQUIRES MINIMUM CLIMB
 OF 320 FEET PER NM TO 2000,
 SFO VOR OUT OF SERVICE.

A4851/25 (23 SEP 25)

23 SEP 2025 14:38-UFN
 SFO IAP SAN FRANCISCO INTL,
 SAN FRANCISCO, CA.
 ILS OR LOC RWY 28R, AMDT 15B...
 ILS RWY 28R (SA CAT I), AMDT 15B...
 ILS RWY 28R (CAT II-III), AMDT 15B...
 MISSED APPROACH: CLIMB TO 2600 ON HEADING 284 THEN CLIMBING RIGHT
 TURN TO 4000 ON RADAR VECTORS TO SAU VOR/DME AND HOLD. #MISSED
 APPROACH REQUIRES MINIMUM CLIMB OF 350 FEET PER NM TO 1900; IF
 UNABLE TO MEET CLIMB GRADIENT, SEE ILS OR LOC RWY 28L,
 SFO VOR OUT OF SERVICE.

A4850/25 (23 SEP 25)

23 SEP 2025 14:38-UFN
 SFO SID SAN FRANCISCO INTL,
 SAN FRANCISCO, CA.
 GAP SEVEN DEPARTURE...
 MOLEN NINE DEPARTURE...
 SAN FRANCISCO FOUR DEPARTURE...
 DEPARTURE PROCEDURE NA EXCEPT FOR ACFT EQUIPPED WITH SUITABLE RNAV
 SYSTEM WITH GPS,
 SFO VOR OUT OF SERVICE.

A4845/25 (22 SEP 25)

22 SEP 2025 23:03-UFN
 /SFO/ NAV VOR U/S

09/176 (17 SEP 25)

17 SEP 2025 14:54-31 OCT 2025 23:59
 OBST STRUCTURE LGT (ASN UNKNOWN) 373725N1222231W
 (265FT W TWY E) 53FT (40FT AGL) U/S

A4750/25 (15 SEP 25)

15 SEP 2025 22:30-31 OCT 2025 14:00
 SFO TWY Z BTN TWY C AND TWY U CLSD TO ACFT WINGSPAN MORE THAN 171FT
 UNDER POWER

A4749/25 (15 SEP 25)

15 SEP 2025 22:26-31 OCT 2025 14:00
SFO TWY C BTN TWY C3 AND TWY Z CLSD TO ACFT WINGSPAN MORE THAN 171FT
UNDER POWER

09/160 (15 SEP 25)

15 SEP 2025 11:44-31 OCT 2025 07:00
TWY E HLDG PSN MARKINGS BTN RWY 10R/28L AND TWY B
SOUTH SIDE OBSC

A4379/25 (21 AUG 25)

21 AUG 2025 17:07-UFN
SFO IAP SAN FRANCISCO INTL,
SAN FRANCISCO, CA.
RNAV (GPS) Y RWY 10R, AMDT 2A...
TDZE 8.
LNAV HAT 1192 ALL CATS.

A4377/25 (21 AUG 25)

21 AUG 2025 17:04-UFN
SFO IAP SAN FRANCISCO INTL,
SAN FRANCISCO, CA.
RNAV (RNP) Z RWY 10R, AMDT 2A...
TDZE 8.
RNP 0.20 DA 422/ HAT 414 ALL CATS.
RNP 0.30 DA 1106 ALL CATS.

A4239/25 (18 AUG 25)

18 AUG 2025 15:00-15 NOV 2025 07:59
SFO TWY S, S1, S2, S3, TWY Z BTN TWY C AND TXL Z2 CLSD

A4252/25 (18 AUG 25)

18 AUG 2025 07:30-14 NOV 2025 22:00
SFO RWY 28L NOW DECLARED DIST: TORA 11061FT TODA 11061FT ASDA
10867FT LDA 10275FT.

A4256/25 (18 AUG 25)

18 AUG 2025 07:30-14 NOV 2025 22:00
SFO RWY 28R NOW DECLARED DIST: TORA 11670FT TODA 11670FT
ASDA 11570FT LDA 11236FT.

A4259/25 (15 AUG 25)

15 AUG 2025 19:07-31 OCT 2025 19:00
SFO RWY 10L/28R SAFETY AREA NOT STD N SIDE BTN RWY 01R/19L
AND RWY 01L/19R

08/043 (06 AUG 25)

06 AUG 2025 21:29-31 OCT 2025 21:00
TWY A TWY DIRECTION SIGN FOR TWY H NOT STD

08/042 (06 AUG 25)

06 AUG 2025 21:27-31 OCT 2025 21:00
TWY H LOCATION SIGN BTN TWY A AND TWY B NOT STD

07/218 (22 JUL 25)

22 JUL 2025 15:49-22 JUL 2026 23:59
OBST POLE LGT (ASN 2025-AWP-5059-OE) 373703N1222604W
(2.8NM W SFO) 402FT (68FT AGL) U/S

07/178 (20 JUL 25)

20 JUL 2025 20:52-31 DEC 2025 23:59
AIRSPACE NUMEROUS UAS WI AN AREA DEFINED AS 2.6NM
RADIUS OF 373251N1221852W (2.7NM WNW SQL) SFC-400FT AGL

07/006 (01 JUL 25)

01 JUL 2025 14:00-31 OCT 2025 14:00
TWY Z LOCATION SIGN SOUTH SIDE NOT STD

A3544/25 (28 JUN 25)

28 JUN 2025 21:00-UFN
SFO IAP SAN FRANCISCO INTL,
SAN FRANCISCO, CA.
RNAV (GPS) RWY 10L, AMDT 3...



LNAV/VNAV DA 714/HAT 707 ALL CATS, VIS 2 ALL CATS, UNLESS ADVISED BY ATC THE CRANE DOWN.

TEMPORARY CRANE 1.2NM WEST OF RWY 10L, 327FT MSL (2025-AWP-7431-OE).

A3472/25 (24 JUN 25)

24 JUN 2025 00:49-31 DEC 2025 07:00

SFO TWY N BTN TWY F AND RWY 10R/28L CLSD

KSMF / SMF

A0947/25 (02 OCT 25)

02 OCT 2025 22:19-08 OCT 2025 23:59

SMF NAV ILS RWY 17R U/S

A0839/25 (05 SEP 25)

05 SEP 2025 17:43-UFN

SMF NAV ILS RWY 17R IM U/S

A0581/25 (11 JUL 25)

11 JUL 2025 15:01-UFN

SMF IAP SACRAMENTO INTL, SACRAMENTO, CA.

ILS OR LOC RWY 17R, AMDT 16E...

CIRCLING MDA CATS A/B/C 540/HAA 513. KAYEG FIX MINIMUMS (DME REQUIRED) : CIRCLING MDA CATS A/B/C 540/HAA 513. TEMPORARY CRANE 263 MSL 3763FT SE OF RWY 17R (2021-AWP-4609-NRA), TEMPORARY CRANE 179 MSL 798FT SW OF SMF AIRPORT (2024-AWP-5929-NRA), TEMPORARY CRANE 133 MSL 1613FT SE OF SMF AIRPORT (2024-AWP-7256-NRA).

A0579/25 (11 JUL 25)

11 JUL 2025 15:00-UFN

SMF IAP SACRAMENTO INTL, SACRAMENTO, CA.

RNAV (GPS) Y RWY 17R, AMDT 2D...

LNAV/VNAV DA 384/HAT 359 ALL CATS, VISIBILITY ALL CATS RVR 3000. LNAV MDA 480/HAT 455 ALL CATS, VISIBILITY CATS C/D RVR 4500. CIRCLING CAT A/B/C MDA 500/HAA 473. VDP AT 1.22NM TO RW17R. TEMPORARY CRANE 263 MSL 3763FT SE OF RWY 17R (2021-AWP-4609-NRA), TEMPORARY CRANE 179 MSL 798FT SW OF SMF AIRPORT (2024-AWP-5929-NRA), TEMPORARY CRANE 133 MSL 1613FT SE OF SMF AIRPORT (2024-AWP-7256-NRA).

A0578/25 (11 JUL 25)

11 JUL 2025 14:59-UFN

SMF IAP SACRAMENTO INTL, SACRAMENTO, CA.

ILS OR LOC RWY 17L, AMDT 4D...

CIRCLING MDA CATS A/B/C 540/HAA 513. JOBUD FIX MINIMUMS (DME REQUIRED) CIRCLING MDA CATS A/B/C 540/HAA 513. TEMPORARY CRANE 263 MSL 4253FT SW OF RWY 17L (2021-AWP-4609-NRA), TEMPORARY CRANE 179 MSL 798FT SW OF SMF AIRPORT (2024-AWP-5929-NRA), TEMPORARY CRANE 133 MSL 1613FT SE OF SMF AIRPORT (2024-AWP-7256-NRA).

A0577/25 (11 JUL 25)

11 JUL 2025 14:59-UFN

SMF IAP SACRAMENTO INTL, SACRAMENTO, CA.

RNAV (RNP) Z RWY 17L, AMDT 2...

RNP 0.30 DA 365/HAT 338 ALL CATS, VISIBILITY ALL CATS RVR 3000.

TEMPORARY CRANE 263 MSL 4253FT SW OF RWY 17L (2021-AWP-4609-NRA).

A0518/25 (25 JUN 25)

25 JUN 2025 20:20-UFN

SMF IAP SACRAMENTO INTL, SACRAMENTO, CA.

RNAV (GPS) Y RWY 35R, AMDT 2A...

LNAV/VNAV DA 384/ HAT 360 ALL CATS, VIS ALL CATS 1. LNAV MDA 400/ HAT 376 ALL CATS. CIRCLING CATS A/B/C MDA 540/HAA 513. VDP 0.98NM TO RW35R. TEMPORARY CRANES 95 MSL BEGINNING 1916FT W OF RWY 35R (2020-AWP-141/142/143-NRA), TEMPORARY CRANES 120 MSL BEGINNING 2240FT W OF RWY 35R (2018-AWP-2541/2542/2543/2544/2545/2546/2547/2548-NRA), TEMPORARY



CRANE 173 MSL 4519FT W OF RWY 35R (2024-AWP-4300-NRA), TEMPORARY
CRANE 179 MSL 798FT SW OF SMF AIRPORT (2024-AWP-5929-NRA), TEMPORARY
CRANE 133 MSL 1613FT SE OF SMF AIRPORT (2024-AWP-7256-NRA).

A0501/25 (20 JUN 25)

20 JUN 2025 12:25-UFN

SMF IAP SACRAMENTO INTL, SACRAMENTO, CA.

RNAV (GPS) Y RWY 35L, AMDT 3A...

LNAV/VNAV DA 384/HAT 360 ALL CATS, VIS ALL CATS RVR 3000. LNAV MDA 480/HAT 456 ALL CATS, VIS CATS C/D RVR 4500. CIRCLING CATS A/B/C MDA 540/HAA 513. VDP NA. TEMPORARY CRANE 132 MSL 1780FT NE OF RWY 35L (2022-AWP-1207-NRA), TEMPORARY CRANE 173 MSL 1772FT SE OF RWY 35L (2024-AWP-4300-NRA), TEMPORARY CRANE 179 MSL 798FT SW OF SMF AIRPORT (2024-AWP-5929-NRA), TEMPORARY CRANE 133 MSL 1613FT SE OF SMF AIRPORT (2024-AWP-7256-NRA).

A0387/25 (12 MAY 25)

12 MAY 2025 22:00-UFN

SMF IAP SACRAMENTO INTL, SACRAMENTO, CA.

ILS OR LOC RWY 35L, AMDT 8...

S-LOC 35L MDA 460/HAT 436 ALL CATS, VIS CATS C/D 4000
CIRCLING CATS A/B/C MDA 540/HAA 513. TEMPORARY CRANE 132 MSL 1780FT NE OF RWY 35L (2022-AWP-1207-NRA), TEMPORARY CRANE 179 MSL 798FT SW OF SMF AIRPORT (2024-AWP-5929-NRA)
TEMPORARY CRANE 239 MSL 4577FT NE OF RWY 35L (2025-AWP-7-NRA).

A0386/25 (12 MAY 25)

12 MAY 2025 22:00-UFN

SMF IAP SACRAMENTO INTL, SACRAMENTO, CA.

RNAV (RNP) Z RWY 35L, AMDT 2...

RNP 0.12 DA 370/HAT 346 ALL CATS, VIS ALL CATS RVR 3000. RNP 0.30 DA 413/HAT 389 ALL CATS, VIS ALL CATS RVR 3500. TEMPORARY CRANE 132 MSL 1780FT NE OF RWY 35L (2022-AWP-1207-NRA), TEMPORARY CRANE 173 MSL 1772FT SE OF RWY 35L (2024-AWP-4300-NRA). TEMPORARY CRANE 239 MSL 5893FT SW OF RWY 17L (2025-AWP-7-NRA).

A0388/25 (12 MAY 25)

12 MAY 2025 22:00-UFN

SMF IAP SACRAMENTO INTL, SACRAMENTO, CA.

RNAV (RNP) Z RWY 17R, AMDT 2...

RNP 0.10 DA 314/HAT 301 ALL CATS.

RNP 0.18 DA 382/HAT 357 ALL CATS, VISIBILITY ALL CATS RVR 3000.
TEMPORARY CRANE 263 MSL 3763FT SE OF RWY 17R (2021-AWP-4609-NRA).
TEMPORARY CRANE 239 MSL 5346FT SE OF RWY 17R (2025-AWP-7-NRA).

A0397/25 (12 MAY 25)

12 MAY 2025 22:00-UFN

SMF IAP SACRAMENTO INTL, SACRAMENTO, CA.

RNAV (GPS) Y RWY 17L, AMDT 3B...

LNAV/VNAV DA 384/HAT 357 ALL CATS, VISIBILITY ALL CATS RVR 3000.

LNAV MDA 480/HAT 453 ALL CATS, VISIBILITY CATS C/D RVR 4500.

CIRCLING MDA CATS A/B/C 540/HAA 513. VDP AT 1.22NM TO RW17L.

TEMPORARY CRANE 263 MSL 4253FT SW OF RWY 17L (2021-AWP-4609-NRA),
TEMPORARY CRANE 179 MSL 798FT SW OF SMF AIRPORT (2024-AWP-5929-NRA),
TEMPORARY CRANE 133 MSL 1613FT SE OF SMF AIRPORT (2024-AWP-7256-NRA). TEMPORARY CRANE 239 MSL 5346FT SE OF RWY 17R (2025-AWP-7-NRA).

A0048/25 (29 JAN 25)

29 JAN 2025 18:56-31 DEC 2025 23:59

SMF TWY A5 BTN RWY 17R/35L AND TWY A CLSD



\$B

UAL1727 04OCT25 LAX-SFO

TAKEOFF AND LANDING REPORT UAL 1727 KLAX-KSFO 04OCT25

TLR-1 SEQ-148686962 04OCT25 2208Z

A/C N17336 B737-8 LEAP-1B27 BEW/CG 91310/.....

/// TAKEOFF DATA ///

APT	PRWY	POAT	PWIND	PQNH	PMRTW	FLP	MT	V1	VR	V2	PTOW	MFPTW	LIMIT
KLAX	25R	22.0	248M14	29.85	1733	5	46	51	54	61	1490	1581	CLB

RMKS D-T01 - SEL TEMP 46
BLEEDS ON

RWY	OAT	WIND	QNH	MRTW	FLP	V1	VR	V2	PWR	CONFIG/CONDITION
-----	-----	------	-----	------	-----	----	----	----	-----	------------------

----- ACARS RUNWAYS -----

RWY	ACARS	LENGTH	PMTOW	NOTES
06L		8926	1578	ILS 108.50
06R		10285	1742	ILS 111.70
07L		12091	1742	ILS 111.10
07R		11095	1742	ILS 109.90
24L		10285	1712	ILS 111.70
24R		8926	1693	ILS 108.50
25L		11095	1718	ILS 109.90
25R		12091	1733	ILS 111.10

----- DRY RWY - PTOW - CALM WIND -----

RWY	MTOW	MT	CONFIG	FLP	V1	VR	V2	LIMIT
06L	1742	52	D-T0 - BLEEDS ON	5	141	141	149	AFM
06R	1682	43	D-T01 - BLEEDS ON	5	144	146	153	CLB
07L	1707	44	D-T01 - BLEEDS ON	5	146	149	156	CLB
07R	1697	43	D-T01 - BLEEDS ON	5	144	146	153	CLB
24L	1683	43	D-T01 - BLEEDS ON	5	144	146	153	CLB
24R	1742	52	D-T0 - BLEEDS ON	5	141	141	149	AFM
25L	1692	43	D-T01 - BLEEDS ON	5	144	146	153	CLB
25R	1703	44	D-T01 - BLEEDS ON	5	146	148	155	CLB

----- DRY RWY - PTOW PLUS 4000 - CALM WIND -----

RWY	MTOW	MT	CONFIG	FLP	V1	VR	V2	LIMIT
06L	1569	30	D-T02 - BLEEDS ON	5	141	141	150	CLB
06R	1742	51	D-T0 - BLEEDS ON	5	146	148	156	AFM
07L	1742	52	D-T0 - BLEEDS ON	5	149	151	159	AFM
07R	1742	51	D-T0 - BLEEDS ON	5	146	148	156	AFM
24L	1742	51	D-T0 - BLEEDS ON	5	146	148	156	AFM
24R	1569	30	D-T02 - BLEEDS ON	5	141	141	150	CLB
25L	1742	51	D-T0 - BLEEDS ON	5	146	148	156	AFM
25R	1742	52	D-T0 - BLEEDS ON	5	149	151	159	AFM



```

----- WET RWY - PTOW - CALM WIND -----
RWY      MTOW MT CONFIG      FLP  V1  VR  V2  LIMIT
06L      1742 51 D-T0 - BLEEDS ON      5 134 139 147  AFM
06R      1742 53 D-T0 - BLEEDS ON      5 143 144 152  AFM
07L      1702 44 D-T01 - BLEEDS ON     5 147 149 156  CLB
07R      1690 43 D-T01 - BLEEDS ON     5 144 146 153  CLB
24L      1742 53 D-T0 - BLEEDS ON      5 143 144 152  AFM
24R      1742 51 D-T0 - BLEEDS ON      5 138 139 147  AFM
25L      1682 43 D-T01 - BLEEDS ON     5 144 146 153  CLB
25R      1698 44 D-T01 - BLEEDS ON     5 146 148 155  CLB

```

```

----- WET RWY - PTOW PLUS 4000 - CALM WIND -----
RWY      MTOW MT CONFIG      FLP  V1  VR  V2  LIMIT
06L      1742 48 D-T0 - BLEEDS ON      5 135 141 149  AFM
06R      1742 50 D-T0 - BLEEDS ON      5 144 145 153  AFM
07L      1742 52 D-T0 - BLEEDS ON      5 149 151 159  AFM
07R      1742 51 D-T0 - BLEEDS ON      5 146 148 156  AFM
24L      1742 50 D-T0 - BLEEDS ON      5 144 145 153  AFM
24R      1742 48 D-T0 - BLEEDS ON      5 138 141 149  AFM
25L      1742 51 D-T0 - BLEEDS ON      5 146 148 156  AFM
25R      1742 52 D-T0 - BLEEDS ON      5 149 151 159  AFM

```

/// LANDING DATA ///

```

APT  PRWY  POAT PWIND  PQNH  PMRLW FLP  PLDW  LIMIT
KSFO 28L   22.0 286M08 29.94 1528 30   1437  AFM

```

RMKS NONE

```

-----
RWY      OAT  WIND  QNH  MRLW  FLP VREF  PWR CONFIG/CONDITION

```

```

----- ACARS RUNWAYS -----
RWY      ACARS  LENGTH PMRLW NOTES
01L      7010  1528
01R      8090  1528
10L      11193 1528
10R      10704 1528
19L      8650  1528 ILS 108.90
19R      7650  1528
28L      10275 1528 ILS 109.55
28R      11236 1528 ILS 111.70

```

```

----- FLAPS 30 - PACKS ON - NO ENROUTE ICING -----
DRY RWY / WET RWY

```

```

      01L      01R      10L      10R
OAT    7010 FT    8090 FT    11193 FT    10704 FT
  17    1528A/1528A  1528A/1528A  1528A/1528A  1528A/1528A
 / 22    1528A/1528A  1528A/1528A  1528A/1528A  1528A/1528A
  27    1528A/1528A  1528A/1528A  1528A/1528A  1528A/1528A
HW/10KT    0/ 0      0/ 0      0/ 0      0/ 0
TW/10KT    0/ 0      0/ 0      0/ 0      0/ 0

```



	19L		19R		28L		28R
OAT	8650 FT		7650 FT		10275 FT		11236 FT
17	1528A/1528A		1528A/1528A		1528A/1528A		1528A/1528A
/ 22	1528A/1528A		1528A/1528A		1528A/1528A		1528A/1528A
27	1528A/1528A		1528A/1528A		1528A/1528A		1528A/1528A
HW/10KT	0/ 0		0/ 0		0/ 0		0/ 0
TW/10KT	0/ 0		0/ 0		0/ 0		0/ 0

----- LANDING DISTANCE - FLAPS 30 - MAX MANUAL BRAKING -----

		ACTUAL		FACTORED	
LDW	VREF	DRY	WET	DRY	WET
1400	142	2976	4132	4202	5532
1420	143	3000	4166	4242	5582
/ 1440	144	3025	4199	4282	5633
1460	145	3049	4233	4322	5684
1480	146	3073	4267	4363	5736
HW/KT		-18	-25	-21	-29
TW/KT		54	76	83	107

END TAKEOFF AND LANDING REPORT UAL 1727 KLAX-KSFO 04OCT25

B